

AMBANG GROUP

Hebei Ambang Valve & Fittings Co.,Ltd.

Hebei Ambang Valve & Fittings Co., Ltd, devote to manufacture the sanitary fluid fittings and valves to the Industry of beer, beverage, dairy products and pharmace etc.

We also can produce the industry pipe fittings and valves. They are used in the field including chemical and petrochemical plants, paper mills, shipyards, gas processing plants, water treatment plants, etc.

Excellent quality, fast delivery, and best service have won good reputation for this company for more than 10 years. The products are sold all over the world.

The company cordially invites potential customers

to develop business relationship.

Hebei Ambang Valve & Fittings Co.,Ltd.
Add : Econo.&Tech,E/zone,Cangzhou, China.
Tel : 86-317-7970998
Fax : 86-317-7613366
Email : chinambang@gmail.com


Sanitary Butterfly Valve Handle Series

DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Pulling handle/No.1

Adjustment: two positions, three positions, four positions

the handle can match with all butterfly valves and butterfly-type ball valves.




K×K	H	L	match with butterfly valve		match with butterfly-type ball valve	
8.0×8.0	41.4	126.0	1/2"-1 1/2"	DN15-DN40	1/2"-1"	DN15-DN25
10.0×10.0	41.4	133.0	2"	DN50	1 1/4"	DN32
10.0×10.0	41.4	144.0	2 1/2"-3"	DN65	1 1/2"	DN40
10.0×10.0	43.0	160.0	3 1/2"-4"	DN80-DN100	2"	DN50
10.0×10.0	43.0	220.0	5"-6"	DN125-DN150		

Multi-position plastic handle/No.02

Adjustment: adjust open distance with 15° position.

The handle can assemble all of butterfly valves.

Size: DN20-100, 1"-4"




K×K	H	L	match with butterfly valve		match with butterfly-type ball valve	
8.0×8.0	42.0	132.0	1/2"-1 1/2"	DN15-DN40		
10.0×10.0	46.0	155.0	2"-4"	DN50-DN100		

Multi-position stainless steel handle/No.03

Adjustment: Can adjust the open scope by each 15° position.

the handle can match with all butterfly valves and butterfly-type ball valves.



K×K	H	L	match with butterfly valve		match with butterfly-type ball valve	
8.0×8.0	55.0	155.0	1/2"-1 1/2"	DN15-DN40	1/2"-1"	DN15-DN25
10.0×10.0	55.0	155.0	2"-3"	DN50-DN65	1 1/4"-1 1/2"	DN32-DN40
11.0×11.0	55.0	155.0	3 1/2"-6"	DN80-DN150	2"	DN50


Sanitary Valve Device

DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Stainless steel pneumatic actuator/No.1

Three type of pneumatic device:normally closed,normally opened,opened and closed by two air flues separately.

Control set:Can match with feedback device,solenoid valve etc.,which help to connect with the automatic system and remote control system.




Size	Dc	H	match with butterfly valve		match with ball valve	
Φ 85	85.0	180.5	DN20-DN100	1"-4"	DN20-DN50	1"-2"
Φ133	133.0	298.0	DN125-DN200	5"-8"	DN65-DN80	2.5"-3"

Aluminium pneumatic actuator/No.2

Three type of pneumatic device:normally closed,normally opened,opened and closed by two air flues separately.


Control set:Can match with feedback device,solenoid valve etc.,which help to connect with the automatic system and remote control system.



Size	H	L	match with butterfly valve		match with ball valve	
AT1	91.0	131.0	DN20-DN40	19-45	DN15-DN25	1/2"-1"
AT2	112.0	185.0	DN50-DN100	2"-4"	DN32-DN50	1 1/4"-2"
AT3	128.0	230.0	DN125	5"	DN65-DN80	2 1/2"-3"
AT4	154.0	290.0	DN150-DN200	6"-8"	DN100	3 1/2"-4"

Electric actuator

Electric device:on-off indicator light,passive contact signal ,intelligent control,1K,5K potentiometer




Size	L	H	H1	match with butterfly valve		match with ball valve	
HL-05	157.5	115.0	103.0	DN20-DN100	1"-4"	DN20-DN50	1"-2"
HL-10	208.0	124.0	115.0	DN125-DN200	5"-8"	DN65-DN80	2.5"-3"
HL-20	280.0	135.0	109.0			DN100	4"

Sanitary Butterfly Valve Series

DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

DIN


Electric butterfly valve DIN



Size	A	B	C	L	H	H1
DN15	66.0	78.0	34×1/8	157.5	131.0	170.0
DN20	66.0	78.0	44×1/6	157.5	131.0	170.0
DN25	66.0	78.0	52×1/6	157.5	131.0	170.0
DN32	70.0	86.0	58×1/6	157.5	131.0	174.0
DN40	74.0	90.0	65×1/6	157.5	131.0	176.0
DN50	76.0	106.0	78×1/6	157.5	131.0	184.0
DN65	84.0	124.0	95×1/6	208.0	145.0	207.0
DN80	90.0	139.0	110×1/4	208.0	145.0	214.5
DN100	108.0	159.0	130×1/4	280.0	145.0	224.5
DN125	130.0	185.0	160×1/4	208.0	145.0	237.5
DN150	150.0	215.0	190×1/4	280.0	145.0	252.5

DIN

Pneumatic butterfly valve DIN




Size	A	B	C	D	H	H1
DN15	66.0	78.0	34×1/8	85.0	222.5	180.5
DN20	66.0	78.0	44×1/6	85.0	222.5	180.5
DN25	66.0	78.0	52×1/6	85.0	222.5	180.5
DN32	70.0	86.0	58×1/6	85.0	226.5	180.5
DN40	74.0	90.0	65×1/6	85.0	228.5	180.5
DN50	76.0	106.0	78×1/6	85.0	236.5	180.5
DN65	84.0	124.0	95×1/6	85.0	245.5	180.5
DN80	90.0	139.0	110×1/4	85.0	253.0	180.5
DN100	108.0	159.0	130×1/4	85.0	263.0	180.5
DN125	130.0	185.0	160×1/4	133.0	415.5	298.0
DN150	150.0	215.0	190×1/4	133.0	430.5	298.0

Sanitary Butterfly Valve Series

DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Welded butterfly valve


DIN/GS51101



Size	O	D	KxK	A	H
DN15	78.0	18.0	8.0×8.0	50.0	39.0
DN20	78.0	22.0	8.0×8.0	50.0	39.0
DN25	78.0	28.0	8.0×8.0	50.0	39.0
DN32	86.0	34.0	8.0×8.0	50.0	43.0
DN40	95.0	40.0	8.0×8.0	50.0	45.0
DN50	108.0	52.0	10.0×10.0	52.0	53.0
DN65	125.0	70.0	10.0×10.0	56.0	62.0
DN80	140.0	85.0	11.0×11.0	60.0	69.5
DN100	160.0	104.0	11.0×11.0	64.0	79.5
DN125	190.0	129.0	11.0×11.0	80.0	92.5
DN150	220.0	154.0	11.0×11.0	90.0	107.5

Clamped butterfly valve


DIN/GS51202



Size	O	B	KxK	A	H
DN15	78.0	34.0	8.0×8.0	66.0	39.0
DN20	78.0	34.0	8.0×8.0	66.0	39.0
DN25	78.0	50.5	8.0×8.0	66.0	39.0
DN32	86.0	50.5	8.0×8.0	66.0	43.0
DN40	95.0	50.5	8.0×8.0	70.0	45.0
DN50	108.0	64.0	10.0×10.0	76.0	51.0
DN65	125.0	91.0	10.0×10.0	80.0	60.0
DN80	140.0	106.0	11.0×11.0	84.0	69.5
DN100	160.0	119.0	11.0×11.0	104.0	77.0
DN125	190.0	145.0	11.0×11.0	136.0	92.5
DN150	220.0	167.0	11.0×11.0	146.0	107.5

Three-piece butterfly valve

DIN/GS51103




Size	O	D	KxK	A	H
DN15	78.0	18.0	8.0×8.0	100.0	39.0
DN20	78.0	22.0	8.0×8.0	100.0	39.0
DN25	78.0	28.0	8.0×8.0	100.0	39.0
DN32	78.0	34.0	8.0×8.0	100.0	39.0
DN40	95.0	40.0	8.0×8.0	100.0	45.0
DN50	108.0	52.0	10.0×10.0	104.0	51.0
DN65	125.0	70.0	10.0×10.0	112.0	60.0
DN80	140.0	85.0	11.0×11.0	120.0	67.0
DN100	160.0	104.0	11.0×11.0	128.0	77.0
DN125	190.0	129.0	11.0×11.0	160.0	92.5
DN150	220.0	154.0	11.0×11.0	180.0	107.5

Sanitary Butterfly Valve Series

DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Threaded butterfly valve


DIN/GS51304



Size	O	G	KxK	A	H
DN15	78.0	RD34×1/8	8.0×8.0	66.0	39.0
DN20	78.0	RD44×1/6	8.0×8.0	66.0	39.0
DN25	78.0	RD52×1/6	8.0×8.0	66.0	39.0
DN32	86.0	RD58×1/6	8.0×8.0	70.0	43.0
DN40	95.0	RD65×1/6	8.0×8.0	74.0	45.0
DN50	108.0	RD78×1/6	10.0×10.0	76.0	53.0
DN65	125.0	RD95×1/6	10.0×10.0	84.0	62.0
DN80	140.0	RD110×1/4	11.0×11.0	90.0	69.5
DN100	160.0	RD130×1/4	11.0×11.0	104.0	79.5
DN125	190.0	RD160×1/4	11.0×11.0	130.0	92.5
DN150	220.0	RD190×1/4	11.0×11.0	150.0	107.5

Welded/Threaded butterfly valve


DIN/GS51305



Size	O	O	G	KxK	A	H
DN15	78.0	18.0	RD34×1/8	8.0×8.0	58.0	39.0
DN20	78.0	22.0	RD44×1/6	8.0×8.0	58.0	39.0
DN25	78.0	28.0	RD52×1/6	8.0×8.0	58.0	39.0
DN32	86.0	34.0	RD58×1/6	8.0×8.0	60.0	43.0
DN40	95.0	40.0	RD65×1/6	8.0×8.0	62.0	45.0
DN50	108.0	52.0	RD78×1/6	10.0×10.0	64.0	53.0
DN65	125.0	70.0	RD95×1/6	10.0×10.0	70.0	62.0
DN80	140.0	85.0	RD110×1/4	11.0×11.0	75.0	69.5
DN100	160.0	104.0	RD130×1/4	11.0×11.0	86.0	79.5
DN125	190.0	129.0	RD160×1/4	11.0×11.0	105.0	92.5
DN150	220.0	154.0	RD190×1/4	11.0×11.0	120.0	107.5

Threaded/nut butterfly valve

DIN/GS51306




Size	O	G	KxK	A	H
DN15	78.0	RD34×1/8	8.0×8.0	71.0	39.0
DN20	78.0	RD44×1/6	8.0×8.0	72.0	39.0
DN25	78.0	RD52×1/6	8.0×8.0	75.0	39.0
DN32	86.0	RD58×1/6	8.0×8.0	77.0	43.0
DN40	95.0	RD65×1/6	8.0×8.0	81.0	45.0
DN50	108.0	RD78×1/6	10.0×10.0	84.0	53.0
DN65	125.0	RD95×1/6	10.0×10.0	90.0	62.0
DN80	140.0	RD110×1/4	11.0×11.0	98.0	69.5
DN100	160.0	RD130×1/4	11.0×11.0	110.0	79.5
DN125	190.0	RD160×1/4	11.0×11.0	138.0	92.5
DN150	220.0	RD190×1/4	11.0×11.0	154.0	107.5

Sanitary Butterfly Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Welded butterfly valve SMS/GS52107




Size	O	D	KxK	A	H
19	78.0	19.0	8.0x8.0	50.0	39.0
25	78.0	25.4	8.0x8.0	50.0	39.0
32	78.0	31.8	8.0x8.0	50.0	39.0
38	86.0	38.1	8.0x8.0	52.0	43.0
51	102.0	50.8	10.0x10.0	56.0	51.0
63	115.0	63.5	10.0x10.0	56.0	57.5
76	128.0	76.2	10.0x10.0	56.0	64.0
89	139.0	89.0	11.0x11.0	60.0	69.5
102	154.0	101.6	11.0x11.0	64.0	77.0

Quick-install butterfly valve SMS/GS52208



Size	O	B	KxK	A	H
25	78.0	50.5	8.0x8.0	66.0	39.0
32	78.0	50.5	8.0x8.0	66.0	39.0
38	86.0	50.5	8.0x8.0	70.0	43.0
51	102.0	64.0	10.0x10.0	76.0	62.0
63	115.0	77.5	10.0x10.0	80.0	57.5
76	128.0	91.0	10.0x10.0	84.0	64.0
89	139.0	106.0	11.0x11.0	90.0	69.5
102	154.0	119.0	11.0x11.0	104.0	77.0

Three-piece butterfly valve SMS/GS52109




Size	O	D	KxK	A	H
25	78.0	25.4	8.0x8.0	100.0	39.0
32	78.0	31.8	8.0x8.0	100.0	39.0
38	86.0	38.1	8.0x8.0	100.0	43.0
51	102.0	50.8	10.0x10.0	104.0	51.0
63	115.0	63.5	10.0x10.0	112.0	57.5
76	128.0	76.2	10.0x10.0	112.0	64.0
89	139.0	89.0	11.0x11.0	120.0	69.5
102	154.0	101.6	11.0x11.0	128.0	77.0

Sanitary Butterfly Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Threaded butterfly valve SMS/GS52310




Size	O	G	KxK	A	H
19	78.0	RD36×1/8	8.0×8.0	66.0	39.0
25	78.0	RD40×1/6	8.0×8.0	66.0	39.0
32	78.0	RD48×1/6	8.0×8.0	66.0	39.0
38	86.0	RD60×1/6	8.0×8.0	70.0	43.0
51	102.0	RD70×1/6	10.0×10.0	76.0	51.0
63	115.0	RD85×1/6	10.0×10.0	80.0	57.2
76	128.0	RD98×1/6	10.0×10.0	84.0	64.0
89	139.0	RD110×1/6	11.0×11.0	90.0	69.5
102小	154.0	RD125×1/6	11.0×11.0	104.0	77.0
102大	162.0	RD132×1/6	11.0×11.0	104.0	79.5

Welded/Threaded butterfly valve SMS/GS52311



Size	O	D	G	KxK	A	H
19	78.0	19.0	RD36×1/8	8.0×8.0	58.0	39.0
25	78.0	25.4	RD40×1/6	8.0×8.0	58.0	39.0
32	78.0	31.8	RD48×1/6	8.0×8.0	60.0	39.0
38	86.0	38.1	RD60×1/6	8.0×8.0	60.0	43.0
51	102.0	50.8	RD70×1/6	10.0×10.0	64.0	51.0
63	115.0	63.5	RD85×1/6	10.0×10.0	68.0	57.5
76	128.0	76.2	RD98×1/6	10.0×10.0	70.0	64.0
89	139.0	89.0	RD110×1/6	11.0×11.0	75.0	69.5
102小	154.0	101.6	RD125×1/6	11.0×11.0	84.0	77.0
102大	162.0	101.6	RD132×1/6	11.0×11.0	84.0	79.5

Threaded/nut butterfly valve SMS/GS52312




Size	O	G	KxK	A	H
25	78.0	RD40×1/6	8.0×8.0	70.0	39.0
32	78.0	RD48×1/6	8.0×8.0	70.0	39.0
38	86.0	RD60×1/6	8.0×8.0	73.0	43.0
51	102.0	RD70×1/6	10.0×10.0	77.0	51.0
63	115.0	RD85×1/6	10.0×10.0	82.0	57.5
76	128.0	RD98×1/6	10.0×10.0	84.0	64.0
89	139.0	RD110×1/6	11.0×11.0	90.0	69.5
102小	154.0	RD125×1/6	11.0×11.0	101.0	77.0
102大	162.0	RD132×1/6	11.0×11.0	101.0	79.5

Sanitary Butterfly Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Welded butterfly valve 3A/GS53113




Size	O	D	KxK	A	H
1/2"	78.0	12.7	8.0x8.0	50.0	39.0
3/4"	78.0	19.1	8.0x8.0	50.0	39.0
1"	78.0	25.4	8.0x8.0	50.0	39.0
1 1/2"	86.0	38.1	8.0x8.0	50.0	43.0
2"	102.0	50.8	10.0x10.0	52.0	51.0
2 1/2"	115.0	63.5	10.0x10.0	56.0	57.5
3"	128.0	76.2	10.0x10.0	56.0	64.0
4"	154.0	101.6	11.0x11.0	64.0	77.0
6"	215.0	152.4	11.0x11.0	90.0	107.5
8"	285.0	203.2	14.0x14.0	90.0	142.5

Clamped butterfly valve 3A/GS53214



Size	O	B	KxK	A	H
1/2"	78.0	25.4	8.0x8.0	66.0	39.0
3/4"	78.0	25.4	8.0x8.0	66.0	39.0
1"	78.0	50.5	8.0x8.0	66.0	39.0
1 1/2"	86.0	50.5	8.0x8.0	70.0	43.0
2"	102.0	64.0	10.0x10.0	76.0	51.0
2 1/2"	115.0	77.5	10.0x10.0	80.0	57.5
3"	128.0	91.0	10.0x10.0	84.0	64.0
4"	154.0	119.0	11.0x11.0	106.0	77.0
5"	185.0	145.0	11.0x11.0	136.0	92.5
6"	215.0	167.0	11.0x11.0	146.0	107.5
8"	285.0	217.0	14.0x14.0	166.0	142.5

Three-piece butterfly valve 3A/GS53115




Size	O	D	KxK	A	H
1/2"	78.0	12.7	8.0x8.0	100.0	39.0
3/4"	78.0	19.1	8.0x8.0	100.0	39.0
1"	78.0	25.4	8.0x8.0	100.0	39.0
1 1/2"	86.0	38.1	8.0x8.0	104.0	43.0
2"	102.0	50.8	10.0x10.0	104.0	51.0
2 1/2"	115.0	63.5	10.0x10.0	112.0	57.5
3"	128.0	76.2	10.0x10.0	112.0	64.0
4"	154.0	101.6	11.0x11.0	128.0	77.0
6"	215.0	152.4	11.0x11.0	180.0	107.5
8"	285.0	203.2	14.0x14.0	180.0	142.5

Sanitary Butterfly Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Threaded butterfly valve 3A/GS53316




Size	O	G	KxK	A	H
1"	78.0	37.1×6TACME	8.0×8.0	66.0	39.0
1 1/2"	86.0	50.6×6TACME	8.0×8.0	70.0	43.0
2"	102.0	64.2×6TACME	10.0×10.0	76.0	51.0
2 1/2"	115.0	77.7×6TACME	10.0×10.0	80.0	57.5
3"	128.0	91.2×6TACME	10.0×10.0	84.0	64.0
4"	154.0	119.2×6TACME	11.0×11.0	104.0	77.0

Welded/Threaded butterfly valve 3A/GS53317



Size	O	D	G	KxK	A	H
1"	78.0	78.0	37.1×6TACME	8.0×8.0	58.0	39.0
1 1/2"	86.0	86.0	50.6×6TACME	8.0×8.0	61.0	43.0
2"	102.0	102.0	64.2×6TACME	10.0×10.0	64.0	51.0
2 1/2"	115.0	115.0	77.7×6TACME	10.0×10.0	68.0	57.5
3"	128.0	128.0	91.2×6TACME	10.0×10.0	70.0	64.0
4"	154.0	154.0	119.2×6TACME	11.0×11.0	84.0	77.0

Threaded/nut butterfly valve 3A/GS53318




Size	O	G	KxK	A	H
1"	78.0	37.1×6TACME	8.0×8.0	76.0	39.0
1 1/2"	86.0	50.6×6TACME	8.0×8.0	78.0	43.0
2"	102.0	64.2×6TACME	10.0×10.0	83.0	51.0
2 1/2"	115.0	77.7×6TACME	10.0×10.0	90.0	57.5
3"	128.0	91.2×6TACME	10.0×10.0	93.0	64.0
4"	154.0	119.2×6TACME	11.0×11.0	110.0	77.0

Sanitary Butterfly Valve Series

DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Welded butterfly valve


ISO/IDF GS54119



Size	O	D	K×K	A	H
Φ19	78.0	19.0	8.0×8.0	50.0	39.0
Φ25	78.0	25.4	8.0×8.0	50.0	39.0
Φ32	78.0	31.8	8.0×8.0	50.0	39.0
Φ38	86.0	38.1	8.0×8.0	50.0	43.0
Φ45	90.0	45.0	8.0×8.0	50.0	45.0
Φ51	102.0	50.8	10.0×10.0	52.0	51.0
Φ57	106.0	57.0	10.0×10.0	52.0	53.0
Φ63	115.0	63.5	10.0×10.0	56.0	57.5
Φ76	128.0	76.2	10.0×10.0	56.0	64.0
Φ89	139.0	89.0	11.0×11.0	60.0	69.5
Φ102	154.0	101.6	11.0×11.0	64.0	77.0
Φ108	159.0	108.0	11.0×11.0	64.0	79.5
Φ133	185.0	133.0	11.0×11.0	80.0	92.5
Φ159	215.0	159.0	11.0×11.0	90.0	107.5
Φ219	285.0	219.0	14.0×14.0	90.0	142.5

Clamped butterfly valve


ISO/IDF GS54220



Size	O	B	K×K	A	H
Φ19	78.0	25.4	8.0×8.0	66.0	39.0
Φ25	78.0	50.5	8.0×8.0	66.0	39.0
Φ32	78.0	50.5	8.0×8.0	66.0	39.0
Φ38	86.0	50.5	8.0×8.0	70.0	43.0
Φ45	90.0	64.0	8.0×8.0	74.0	45.0
Φ51	102.0	64.0	10.0×10.0	76.0	51.0
Φ57	106.0	77.5	10.0×10.0	78.0	53.0
Φ63	115.0	77.5	10.0×10.0	80.0	57.5
Φ76	128.0	91.0	10.0×10.0	84.0	64.0
Φ89	139.0	106.0	11.0×11.0	90.0	69.5
Φ102	154.0	119.0	11.0×11.0	104.0	77.0
Φ108	159.0	119.0	11.0×11.0	107.0	79.5
Φ133	185.0	145.0	11.0×11.0	136.0	92.5
Φ159	215.0	183.0	11.0×11.0	146.0	107.5
Φ219	285.0	233.5	14.0×14.0	166.0	142.5

Three-piece butterfly valve

ISO/IDF GS54121




Size	O	D	K×K	A	H
Φ19	78.0	19.0	8.0×8.0	100.0	39.0
Φ25	78.0	25.4	8.0×8.0	100.0	39.0
Φ32	78.0	31.8	8.0×8.0	100.0	39.0
Φ38	86.0	38.1	8.0×8.0	100.0	43.0
Φ45	90.0	45.0	8.0×8.0	100.0	45.0
Φ51	102.0	50.8	10.0×10.0	104.0	51.0
Φ57	106.0	57.0	10.0×10.0	104.0	51.0
Φ63	115.0	63.5	10.0×10.0	112.0	57.5
Φ76	128.0	76.2	10.0×10.0	112.0	64.0
Φ89	139.0	89.0	11.0×11.0	120.0	69.5
Φ102	154.0	101.6	11.0×11.0	128.0	77.0
Φ108	159.0	108.0	11.0×11.0	128.0	79.5
Φ133	185.0	133.0	11.0×11.0	160.0	92.5
Φ159	215.0	159.0	11.0×11.0	180.0	107.5
Φ219	285.0	219.0	14.0×14.0	180.0	142.5

Sanitary Butterfly Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Threaded butterfly valve ISO/IDF/GS54322




Size	O	G	KxK	A	H
1"	78.0	37.1×8TACME	8.0×8.0	66.0	39.0
1 1/2"	86.0	50.6×8TACME	8.0×8.0	70.0	43.0
2"	102.0	64.2×8TACME	10.0×10.0	76.0	51.0
2 1/2"	115.0	77.7×8TACME	10.0×10.0	80.0	57.5
3"	128.0	91.2×8TACME	10.0×10.0	84.0	64.0
4"	154.0	118.4×8TACME	11.0×11.0	104.0	77.0
4"	158.0	125.9×6TACME	11.0×11.0	104.0	77.0

Welded/Threaded butterfly valve ISO/IDF/GS54323



Size	O	D	G	KxK	A	H
1"	78.0	25.4	37.1×8TACME	8.0×8.0	58.0	39.0
1 1/2"	86.0	38.1	50.6×8TACME	8.0×8.0	60.0	43.0
2"	102.0	50.8	64.2×8TACME	10.0×10.0	64.0	51.0
2 1/2"	115.0	63.5	77.7×8TACME	10.0×10.0	68.0	57.5
3"	128.0	76.2	91.2×8TACME	10.0×10.0	70.0	64.0
4"	154.0	101.6	118.4×8TACME	11.0×11.0	84.0	77.0
4"	162.0	101.6	125.9×6TACME	11.0×11.0	84.0	77.0

Threaded/nut butterfly valve ISO/IDF/GS54324




Size	O	G	KxK	A	H
1"	78.0	37.1×8TACME	8.0×8.0	79.5	39.0
1 1/2"	86.0	50.6×8TACME	8.0×8.0	81.5	43.0
2"	102.0	64.2×8TACME	10.0×10.0	85.5	51.0
2 1/2"	115.0	77.7×8TACME	10.0×10.0	89.5	57.5
3"	128.0	91.2×8TACME	10.0×10.0	91.5	64.0
4"	154.0	118.4×8TACME	11.0×11.0	105.5	77.0
4"	158.0	125.9×6TACME	11.0×11.0	105.5	77.0

Sanitary Butterfly Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Threaded butterfly valve RJT/GS55325




Size	O	G	KxK	A	H
1"	78.0	45.7×8TWHIT	8.0×8.0	66.0	39.0
1 1/2"	86.0	58.4×8TWHIT	8.0×8.0	70.0	43.0
2"	102.0	72.7×6TWHIT	10.0×10.0	76.0	51.0
2 1/2"	115.0	85.4×6TWHIT	10.0×10.0	80.0	57.5
3"	128.0	98.1×6TWHIT	10.0×10.0	84.0	64.0
4"	154.0	123.8×6TWHIT	11.0×11.0	104.0	77.0
6"	215.0	174.3×6TWHIT	11.0×11.0	150.0	107.5

Welded/Threaded butterfly valve RJT/GS55326



Size	O	D	G	KxK	A	H
1"	78.0	25.6	45.7×8TWHIT	8.0×8.0	58.0	39.0
1 1/2"	86.0	38.3	58.4×8TWHIT	8.0×8.0	60.0	43.0
2"	102.0	51.0	72.7×6TWHIT	10.0×10.0	64.0	51.0
2 1/2"	115.0	63.7	85.4×6TWHIT	10.0×10.0	68.0	57.5
3"	128.0	76.4	98.1×6TWHIT	10.0×10.0	70.0	64.0
4"	154.0	101.8	123.8×6TWHIT	11.0×11.0	84.0	77.0

Welded/Threaded butterfly valve RJT/GS55327




Size	O	G	KxK	A	H
1"	78.0	45.7×8TWHIT	8.0×8.0	77.0	39.0
1 1/2"	86.0	58.4×8TWHIT	8.0×8.0	79.5	43.0
2"	102.0	72.7×6TWHIT	10.0×10.0	83.0	51.0
2 1/2"	115.0	85.4×6TWHIT	10.0×10.0	87.0	57.5
3"	128.0	98.1×6TWHIT	10.0×10.0	89.5	64.0
4"	154.0	123.8×6TWHIT	11.0×11.0	103.0	77.0

Sanitary Butterfly Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Two flanged butterfly valve
GS5428




Size	A	O	H	L
DN25	94.0	115.0	80	126.0
DN32	102.0	135.0	80	126.0
DN40	110.0	145.0	86	126.0
DN50	112.0	160.0	106	133.0
DN65	124.0	180.0	115	144.0
DN80	130.0	195.0	122	160.0
DN100	152.0	215.0	132	160.0
DN125	178.0	245.0	147	220.0
DN150	198.0	280.0	162	220.0

Square-flanged/threaded butterfly valve
DIN/GS51329




Size	O	G	OF	A	H	L
DN15	78.0	RD34×1/8	100×100	76.0	85.0	126.0
DN20	78.0	RD44×1/6	100×100	76.0	85.0	126.0
DN25	78.0	RD52×1/6	100×100	76.0	85.0	126.0
DN32	86.0	RD58×1/6	100×100	80.0	88.0	126.0
DN40	95.0	RD65×1/6	100×100	84.0	90.0	126.0
DN50	108.0	RD78×1/6	100×100	86.0	101.0	133.0

Wafer butterfly valve
GS5130



Size	A	O	L	H
DN40	38.0	85.0	124.0	122.0
DN50	39.0	95.0	130.0	127.0
DN65	42.0	107.0	130.0	133.0
DN80	43.0	125.0	140.0	142.0
DN100	46.0	156.0	158.0	158.0
DN125	48.0	180.0	200.0	160.0
DN150	65.0	205.0	200.0	180.0
DN200	60.0	252.0	220.0	195.0

Flanged/threaded butterfly valve
DIN/GS51331




Size	A	OF	G	L	H
DN25	80.0	115.0	RD52×1/6	126.0	80.0
DN32	86.0	135.0	RD58×1/6	126.0	80.0
DN40	92.0	145.0	RD65×1/6	126.0	86.0
DN50	94.0	160.0	RD78×1/6	133.0	106.0
DN65	104.0	180.0	RD95×1/6	144.0	115.0
DN80	110.0	195.0	RD110×1/4	160.0	122.0
DN100	130.0	215.0	RD130×1/4	160.0	132.0
DN125	154.0	245.0	RD160×1/4	220.0	147.0
DN150	174.0	280.0	RD190×1/4	220.0	162.0

Sanitary Check Valve Series

DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Welded check valve


DIN/GS61101



Size	B2	D	A
DN15	87.0	18.0	76.5
DN20	87.0	22.0	76.5
DN25	87.0	28.0	76.5
DN32	87.0	34.0	76.5
DN40	87.0	40.0	76.5
DN50	100.0	52.0	87.9
DN65	115.0	70.0	96.5
DN80	128.0	85.0	116.5
DN100	164.0	104.0	156.5

Clamped check valve


DIN/GS61202



Size	B2	B	A
DN15	87.0	34.0	102.0
DN20	87.0	34.0	102.0
DN25	87.0	50.5	102.0
DN32	87.0	50.5	102.0
DN40	87.0	50.5	102.0
DN50	100.0	64.0	113.4
DN65	115.0	91.0	122.0
DN80	128.0	106.0	142.0
DN100	164.0	119.0	182.0

Threaded check valve

DIN/GS61303




Size	B2	G	A
DN15	87.0	RD34×1/8	110.5
DN20	87.0	RD44×1/6	114.5
DN25	87.0	RD52×1/6	116.5
DN32	87.0	RD58×1/6	116.5
DN40	87.0	RD65×1/6	116.5
DN50	100.0	RD78×1/6	130.0
DN65	115.0	RD95×1/6	142.5
DN80	128.0	RD110×1/4	166.5
DN100	164.0	RD130×1/4	212.5

Sanitary Check Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Welded/threaded check valve DIN/GS61304




Size	B2	G	D	A
DN15	87.0	RD34×1/8	18.0	93.5
DN20	87.0	RD44×1/6	22.0	95.5
DN25	87.0	RD52×1/6	28.0	96.5
DN32	87.0	RD58×1/6	34.0	96.5
DN40	87.0	RD65×1/6	40.0	96.5
DN50	100.0	RD78×1/6	52.0	109.0
DN65	115.0	RD95×1/6	70.0	119.5
DN80	128.0	RD110×1/4	85.0	141.5
DN100	164.0	RD130×1/4	104.0	184.5

Ball check valve DIN/GS61105



Size	A	B	C	D
DN40	115.0	100.0	38.0	41.0
DN50	125.0	110.0	50.0	53.0
DN65	135.0	130.0	66.0	70.0
DN80	145.0	146.0	81.0	85.0
DN100	155.0	166.0	100.0	104.0

Welded check valve SMS/GS62106




Size	B2	D	A
25	87.0	25.4	76.5
32	87.0	31.8	76.5
38	87.0	38.1	76.5
51	100.0	50.8	87.9
63	115.0	63.5	96.5
76	128.0	76.2	116.5
89	128.0	89.0	116.5
102	164.0	101.6	156.5

Sanitary Check Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Clamped check valve SMS/GS62207




Size	B2	B	A
25	87.0	50.5	102.0
32	87.0	50.5	102.0
38	87.0	50.5	102.0
51	100.0	64.0	113.4
63	115.0	77.5	122.0
76	128.0	91.0	142.0
89	128.0	106.0	142.0
102	164.0	119.0	182.0

Welded/threaded check valve SMS/GS62308



Size	B2	G	D	A
25	87.0	RD40×1/6	25.4	94.5
32	87.0	RD48×1/6	32.0	94.5
38	87.0	RD60×1/6	38.1	96.5
51	100.0	RD70×1/6	50.8	108.0
63	115.0	RD85×1/6	63.5	120.0
76	128.0	RD98×1/6	76.2	141.0
89	128.0	RD110×1/6	89.0	142.5
102小	164.0	RD125×1/6	101.6	183.5
102大	164.0	RD132×1/6	101.6	183.5

Welded check valve 3A/GS63109




Size	B2	D	A
1/2"	87.0	12.7	76.5
3/4"	87.0	19.1	76.5
1"	87.0	25.4	76.5
1 1/2"	87.0	38.1	76.5
2"	100.0	50.8	87.9
2 1/2"	115.0	63.5	96.5
3"	128.0	76.2	116.5
4"	164.0	101.6	156.5

Sanitary Check Valve Series


DIN/SMS/3A/ISO/IDF/RJT/AS/BS/BPE

Clamped check valve 3A/GS632010




Size	B2	B	A
1/2"	87.0	25.4	102.0
3/4"	87.0	25.4	102.0
1"	87.0	50.5	102.0
1 1/2"	87.0	50.5	102.0
2"	100.0	64.0	113.4
2 1/2"	115.0	77.5	122.0
3"	128.0	91.0	142.0
4"	164.0	119.0	182.0

Welded check valve ISO/IDF/GS64111



Size	B2	D	A
Φ19	87.0	19.0	76.5
Φ25	87.0	25.4	76.5
Φ32	87.0	32.0	76.5
Φ38	87.0	38.1	76.5
Φ45	100.0	45.0	88.0
Φ51	100.0	50.8	88.0
Φ57	100.0	57.0	88.0
Φ63	115.0	63.5	96.5
Φ76	128.0	76.2	116.5
Φ89	128.0	89.0	116.5
Φ102	164.0	101.6	156.5
Φ108	164.0	108.0	156.5

Clamped check valve ISO/IDF/GS64212




Size	B2	B	A
Φ25	87.0	50.5	102.0
Φ38	87.0	50.5	102.0
Φ51	100.0	64.0	113.4
Φ63	115.0	77.5	122.0
Φ76	128.0	91.0	142.0
Φ100	164.0	119.0	182.0

Sanitary Ball Valve Series

DIN


Manual butterfly-type ball valve DIN



Size	O	A	D	H	L
DN15	78.0	66.0	18.0	85.0	126.0
DN20	86.0	66.0	22.0	89.0	126.0
DN25	90.0	70.0	28.0	91.0	144.0
DN32	90.0	70.0	34.0	94.0	144.0
DN40	102.0	70.0	40.0	100.0	160.0
DN50	124.0	94.0	52.0	114.0	160.0

DIN


Pneumatic butterfly-type ball valve DIN



Size	O	A	D1	D	H	H1
DN15	78.0	66.0	85.0	18.0	220.5	180.5
DN20	86.0	66.0	85.0	22.0	225.0	180.5
DN25	90.0	70.0	85.0	28.0	227.0	180.5
DN32	90.0	70.0	85.0	34.0	227.0	180.5
DN40	102.0	70.0	85.0	40.0	233.0	180.5
DN50	124.0	94.0	85.0	52.0	244.0	180.5


Sanitary Ball Valve Series

Welded butterfly-type ball valve DIN/GS81101




Size	A	O	D	K×K
DN15	66.0	78.0	18.0	8×8
DN20	66.0	86.0	22.0	8×8
DN25	70.0	90.0	28.0	10×10
DN32	70.0	90.0	34.0	10×10
DN40	70.0	102.0	40.0	11×11
DN50	94.0	124.0	52.0	11×11
DN65				
DN80				
DN100				

Clamped butterfly-type ball valve DIN/GS81202



Size	A	O	B	K×K
DN15	91.0	78.0	34.0	8×8
DN20	91.0	86.0	34.0	8×8
DN25	95.0	90.0	50.5	10×10
DN32	95.0	90.0	50.5	10×10
DN40	95.0	102.0	50.5	11×11
DN50	119.0	124.0	64.0	11×11
DN65				
DN80				
DN100				


Welded butterfly-type ball valve SMS/GS82103



Size	A	O	D	K×K
1"	66.0	86.0	25.4	8×8
1 1/4"	70.0	90.0	32.0	10×10
1 1/2"	70.0	102.0	38.1	11×11
2"	94.0	124.0	50.8	11×11
2 1/2"				
3"				
4"				


Sanitary Ball Valve Series

Clamped butterfly-type ball valve SMS/GS82204




Size	A	O	B	KxK
25	91.0	86.0	50.5	8x8
32	95.0	90.0	50.5	10x10
38	95.0	102.0	50.5	11x11
51	119.0	124.0	64.0	11x11
63				
76				
89				
102				

Welded butterfly-type ball valve 3A/GS83105



Size	A	O	D	KxK
1/2"	66.0	78.0	12.7	8x8
3/4"	66.0	78.0	19.1	8x8
1"	66.0	86.0	25.4	8x8
1 1/2"	70.0	102.0	38.1	11x11
2"	94.0	124.0	50.8	11x11
2 1/2"				
3"				
4"				


Clamped butterfly-type ball valve 3A/GS83206



Size	A	O	B	KxK
1/2"	91.0	78.0	25.4	8x8
3/4"	91.0	78.0	25.4	8x8
1"	91.0	86.0	50.5	8x8
1 1/2"	95.0	102.0	50.5	11x11
2"	119.0	124.0	64.0	11x11
2 1/2"				
3"				
4"				


Sanitary Ball Valve Series

Clamped butterfly-type ball valve ISO/IDF/GS84207




Size	A	O	B	KxK
1"	91.0	86.0	50.5	8x8
1 1/4"	95.0	90.0	50.5	10x10
1 1/2"	95.0	102.0	50.5	11x11
2"	119.0	124.0	64.0	11x11
2 1/2"				
3"				
4"				

Clamped non-retention ball valve SMS/3A/ISO/GS89208



Size		A	B	H	L
3/4"	19.0	105.0	25.4	55.0	125.0
1"	25.0	125.0	50.5	55.0	140.0
1 1/4"	32.0	132.0	50.5	65.0	150.0
1 1/2"	38.0	140.0	50.5	65.0	160.0
2"	51.0	159.0	64.0	85.0	180.0
2 1/2"	63.0	180.0	77.5	100.0	200.0


Clamped non-retention ball valve SMS/3A/ISO/GS89209



Size		A	B	H	L
3/4"	19.0	90.0	25.4	65.0	105.0
1"	25.0	110.0	50.5	70.0	105.0
1 1/4"	32.0	120.0	50.5	80.0	130.0
1 1/2"	38.0	140.0	50.5	80.0	150.0
2"	51.0	164.0	64.0	85.0	160.0
2 1/4"	57.0	170.0	77.5	110.0	180.0
2 1/2"	63.0	180.0	77.5	110.0	180.0


Sanitary Ball Valve Series

Tree-piece clamped ball valve GS82010




Size	A	B	H	L
1/2"	75.0	25.0	64.0	125.0
3/4"	90.0	25.0	67.0	125.0
1"	100.0	50.4	83.0	140.0
1 1/4"	110.0	50.4	89.0	140.0
1 1/2"	125.0	50.4	100.0	200.0
2"	150.0	63.9	108.0	200.0
2 1/2"	190.0	77.4	150.0	250.0
3"	220.0	90.0	161.0	250.0
4"	270.0	118.9	180.0	290.0

Tree-piece female threaded ball valve GS83011



Size	Dn	A	H	L
1/2"	15.0	130.0	130.0	72.0
3/4"	20.0	130.0	130.0	85.0
1"	25.0	165.0	165.0	90.0
1 1/4"	32.0	165.0	165.0	112.0
1 1/2"	38.0	190.0	190.0	120.0
2"	50.0	190.0	190.0	145.0
2 1/2"	65.0	250.0	250.0	185.0
3"	80.0	250.0	250.0	210.0
4"	100.0	280.0	280.0	268.0


Three-piece welded ball valve GS80012



Size	A	D	H	L
1/2"	72.0	22.7	60.0	130.0
3/4"	85.0	27.5	64.0	130.0
1"	90.0	33.5	71.0	165.0
1 1/4"	112.0	42.0	78.0	165.0
1 1/2"	120.0	48.6	86.0	190.0
2"	145.0	60.5	95.0	190.0
2 1/2"	185.0	76.3	130.0	250.0
3"	215.0	90.0	148.0	250.0
4"	270.0	106.5	173.0	280.0


Sanitary Ball Valve Series

One-piece ball valve GS803013



Size	A	Dn	H	L
1/2"	58.0	9.2	43.5	90.0
3/4"	60.0	12.5	47.0	90.0
1"	72.0	15.0	50.0	103.0
1 1/4"	78.0	20.0	57.0	103.0
1 1/2"	83.0	24.0	69.0	127.0
2"	100.0	32.0	74.5	127.0

Two-piece ball valve GS83014



Size	A	Dn	H	L
1/2"	65.0	15.0	60.0	130.0
3/4"	75.0	20.0	64.0	130.0
1"	88.0	25.0	71.0	165.0
1 1/4"	102.0	32.0	78.0	165.0
1 1/2"	110.0	38.0	86.0	190.0
2"	125.0	50.0	95.0	190.0
2 1/2"	162.0	65.0	130.0	250.0
3"	189.0	80.0	148.0	250.0
4"	260.0	100.0	180.0	280.0